

# KENANGA INTERNATIONAL

## CORRECTIVE & PREVENTIVE ACTION REQUEST

MF 07-01 (REV. 00)

Problem Area (Pls Tick)	<input type="checkbox"/>	Supplier / Subcontractor Problem	<input type="checkbox"/>	Quality System Non-Conformance (Int/Ext audit)	<input type="checkbox"/>	Customer Complaint	<input type="checkbox"/>	Product / Service Non-Conformance	<input type="checkbox"/>	Others
----------------------------	--------------------------	----------------------------------	--------------------------	---	--------------------------	--------------------	--------------------------	-----------------------------------	--------------------------	--------

<b>To :</b>	<b>From:</b>	<b>Date:</b>	<b>CPAR No:</b>
Location:		Name of Problem Area:	
No of Reoccurrence:		Previous CPAR No:	

<b>Description of problem:</b>	<b>Disposition Method</b>
	<input type="checkbox"/> Rework
	<input type="checkbox"/> Sorting
	<input type="checkbox"/> Scrap
	<input type="checkbox"/> Use as it is

**Root cause of problem:**

---



---



---

**Correction:** \_\_\_\_\_ Action taken by: \_\_\_\_\_ Date: \_\_\_\_\_

---



---



---

**Corrective Action / Preventive Action:** \_\_\_\_\_ Action taken by: \_\_\_\_\_ Date: \_\_\_\_\_

---



---



---

CPAR Follow Up	1 <sup>st</sup> Follow-up		2 <sup>nd</sup> Follow-up	
Reply Satisfactory? If no, pls comment.	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> Yes	<input type="checkbox"/> No
Implementation Effective? If no, pls comment:	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> Yes	<input type="checkbox"/> No

Verify By : \_\_\_\_\_

Signature : \_\_\_\_\_

Date : \_\_\_\_\_

Is there a need to update the  Management Manual,  Management Procedure,  Work Instruction,  Others ?